

# Challenger - Python - Emacs - Windows 7 64 bits

November 12, 2018

## Contents

<b>1 Risk Analysis of the Space Shuttle: Pre-Challenger Prediction of Failure</b>	<b>1</b>
1.1 Technical information on the computer on which the analysis is run . . . . .	2
1.2 Loading and inspecting data . . . . .	5
1.3 Logistic regression . . . . .	6
1.4 Predicting failure probability . . . . .	8
1.5 Computing and plotting uncertainty . . . . .	10

## 1 Risk Analysis of the Space Shuttle: Pre-Challenger Prediction of Failure

In this document we reperform some of the analysis provided in *Risk Analysis of the Space Shuttle: Pre-Challenger Prediction of Failure* by Siddhartha R. Dalal, Edward B. Fowlkes, Bruce Hoadley published in *Journal of the American Statistical Association*, Vol. 84, No. 408 (Dec., 1989), pp. 945-957 and available at <http://www.jstor.org/stable/2290069>.

On the fourth page of this article, they indicate that the maximum likelihood estimates of the logistic regression using only temperature are:  $\hat{\alpha} = \mathbf{5.085}$  and  $\hat{\beta} = \mathbf{-0.1156}$  and their asymptotic standard errors are  $s_{\hat{\alpha}} = \mathbf{3.052}$  and  $s_{\hat{\beta}} = \mathbf{0.047}$ . The Goodness of fit indicated for this model was  $G^2 = \mathbf{18.086}$  with **21** degrees of freedom. Our goal is to reproduce the computation behind these values and the Figure 4 of this article, possibly in a nicer looking way.

## 1.1 Technical information on the computer on which the analysis is run

We will be using the Python 3 language using the pandas, statsmodels, and numpy library.

```
def print_imported_modules():
    import sys
    for name, val in sorted(sys.modules.items()):
        if(hasattr(val, '__version__')):
            print(val.__name__, val.__version__)
        #     else:
        #         print(val.__name__, "(unknown version)")
def print_sys_info():
    import sys
    import platform
    print(sys.version)
    print(platform.uname())

import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
import statsmodels.api as sm
import seaborn as sns

print_sys_info()
print_imported_modules()

3.7.0 (v3.7.0:1bf9cc5093, Jun 27 2018, 04:59:51) [MSC v.1914 64 bit (AMD64)]
uname_result(system='Windows', node='MGDONDON', release='7', version='6.1.7601', machi
IPython 6.5.0
IPython.core.release 6.5.0
_csv 1.0
_ctypes 1.1.0
decimal 1.70
argparse 1.1
backcall 0.1.0
colorama 0.3.9
csv 1.0
ctypes 1.1.0
cycller 0.10.0
```

dateutil 2.7.3  
decimal 1.70  
decorator 4.3.0  
distutils 3.7.0  
ipykernel 4.8.2  
ipykernel.\_version 4.8.2  
ipython\_genutils 0.2.0  
ipython\_genutils.\_version 0.2.0  
ipywidgets 7.4.0  
ipywidgets.\_version 7.4.0  
jedi 0.12.1  
json 2.0.9  
jupyter\_client 5.2.3  
jupyter\_client.\_version 5.2.3  
jupyter\_core 4.4.0  
jupyter\_core.version 4.4.0  
kiwisolver 1.0.1  
logging 0.5.1.2  
matplotlib 2.2.3  
matplotlib.backends.backend\_agg 2.2.3  
matplotlib.pylab 1.15.4  
numpy 1.15.4  
numpy.core 1.15.4  
numpy.core.multiarray 3.1  
numpy.lib 1.15.4  
numpy.linalg.\_umath\_linalg b'0.1.5'  
numpy.matlib 1.15.4  
pandas 0.23.4  
\_libjson 1.33  
parso 0.3.1  
patsy 0.5.0  
patsy.version 0.5.0  
pickleshare 0.7.4  
platform 1.0.8  
prompt\_toolkit 1.0.15  
pygments 2.2.0  
pyparsing 2.2.0  
pytz 2018.5  
re 2.2.1  
scipy 1.1.0

```
scipy._lib.decorator 4.0.5
scipy._lib.six 1.2.0
scipy.fftpack._fftpack b'$Revision: $'
scipy.fftpack.convolve b'$Revision: $'
scipy.integrate._dop b'$Revision: $'
scipy.integrate._ode $Id$
scipy.integrate._odepack 1.9
scipy.integrate._quadpack 1.13
scipy.integrate.lsoda b'$Revision: $'
scipy.integrate.vode b'$Revision: $'
scipy.interpolate._fitpack 1.7
scipy.interpolate.dfitpack b'$Revision: $'
scipy.linalg 0.4.9
scipy.linalg._fblas b'$Revision: $'
scipy.linalg._flapack b'$Revision: $'
scipy.linalg._flinalg b'$Revision: $'
scipy.ndimage 2.0
scipy.optimize._cobyla b'$Revision: $'
scipy.optimize._lbfgsb b'$Revision: $'
scipy.optimize._minpack 1.10
scipy.optimize._nnls b'$Revision: $'
scipy.optimize._slsqp b'$Revision: $'
scipy.optimize.minpack2 b'$Revision: $'
scipy.signal.spline 0.2
scipy.sparse.linalg.eigen.arpak._arpak b'$Revision: $'
scipy.sparse.linalg.isolve._iterative b'$Revision: $'
scipy.special.specfun b'$Revision: $'
scipy.stats.mvn b'$Revision: $'
scipy.stats.statlib b'$Revision: $'
seaborn 0.9.0
seaborn.external.husl 2.1.0
seaborn.external.six 1.10.0
six 1.11.0
statsmodels 0.9.0
statsmodels.__init__ 0.9.0
traitlets 4.3.2
traitlets._version 4.3.2
urllib.request 3.7
zlib 1.0
zmq 17.1.2
```

```
zmq.sugar 17.1.2
zmq.sugar.version 17.1.2
```

## 1.2 Loading and inspecting data

Let's start by reading data.

```
data = pd.read_csv("https://app-learninglab.inria.fr/gitlab/moocrr-session1/moocrr-rep
print(data)
```

	Date	Count	Temperature	Pressure	Malfunction	
0	4/12/81	6	66	50	0	
1	11/12/81	6	70	50	1	
2	3/22/82	6	69	50	0	
3	11/11/82	6	68	50	0	
4	4/04/83	6	67	50	0	
5	6/18/82	6	72	50	0	
6	8/30/83	6	73	100	0	
7	11/28/83	6	70	100	0	
8	2/03/84	6	57	200	1	
9	4/06/84	6	63	200	1	
10	8/30/84	6	70	200	1	
11	10/05/84	6	78	200	0	
12	11/08/84	6	67	200	0	
13	1/24/85	6	53	200	2	
14	4/12/85	6	67	200	0	
15	4/29/85	6	75	200	0	
16	6/17/85	6	70	200	0	
17	7/2903/85	6	81	200	0	
18	8/27/85	6	76	200	0	
19	10/03/85	6	79	200	0	
20	10/30/85	6	75	200	2	
21	11/26/85	6	76	200	0	
22	1/12/86	6	58	200	1	

We know from our previous experience on this data set that filtering data is a really bad idea. We will therefore process it as such.


```
%matplotlib inline
pd.set_option('mode.chained_assignment',None) # this removes a useless warning from pa
```

```

data["Frequency"]=data.Malfunction/data.Count
data.plot(x="Temperature",y="Frequency",kind="scatter",ylim=[0,1])
plt.grid(True)
plt.tight_layout()

plt.savefig(matplot_lib_filename)
matplot_lib_filename

```



### 1.3 Logistic regression

Let's assume O-rings independently fail with the same probability which solely depends on temperature. A logistic regression should allow us to estimate the influence of temperature.

```

import statsmodels.api as sm

data["Success"]=data.Count-data.Malfunction
data["Intercept"]=1

logmodel=sm.GLM(data['Frequency'], data[['Intercept','Temperature']],
                 family=sm.families.Binomial(sm.families.links.logit)).fit()

```

```
print(logmodel.summary())
```

# Generalized Linear Model Regression Results

=====						
Dep. Variable:	Frequency	No. Observations:	23			
Model:	GLM	Df Residuals:	21			
Model Family:	Binomial	Df Model:	1			
Link Function:	logit	Scale:	1.0000			
Method:	IRLS	Log-Likelihood:	-3.9210			
Date:	Mon, 12 Nov 2018	Deviance:	3.0144			
Time:	21:41:14	Pearson chi2:	5.00			
No. Iterations:	6	Covariance Type:	nonrobust			
=====						
	coef	std err	z	P> z	[0.025	0.975]
-----						
Intercept	5.0850	7.477	0.680	0.496	-9.570	19.740
Temperature	-0.1156	0.115	-1.004	0.316	-0.341	0.110
=====						

The maximum likelihood estimator of the intercept and of Temperature are thus  $\hat{\alpha} = \mathbf{5.0850}$  and  $\hat{\beta} = \mathbf{-0.1156}$ . This **corresponds** to the values from the article of Dalal *et al.* The standard errors are  $s_{\hat{\alpha}} = 7.477$  and  $s_{\hat{\beta}} = 0.115$ , which is **different** from the **3.052** and **0.04702** reported by Dallal *et al.* The deviance is *3.01444* with **21** degrees of freedom. I cannot find any value similar to the Goodness of fit ( $G^2 = \mathbf{18.086}$ ) reported by Dalal *et al.* There seems to be something wrong. Oh I know, I haven't indicated that my observations are actually the result of 6 observations for each rocket launch. Let's indicate these weights (since the weights are always the same throughout all experiments, it does not change the estimates of the fit but it does influence the variance estimates).

```
logmodel=sm.GLM(data['Frequency'], data[['Intercept','Temperature']],
                family=sm.families.Binomial(sm.families.links.logit),
                var_weights=data['Count']).fit()
```

```
print(logmodel.summary())
```

# Generalized Linear Model Regression Results

=====			
Dep. Variable:	Frequency	No. Observations:	23

```

Model:                      GLM      Df Residuals:          21
Model Family:              Binomial  Df Model:              1
Link Function:             logit     Scale:                1.0000
Method:                    IRLS      Log-Likelihood:       -23.526
Date:                      Mon, 12 Nov 2018  Deviance:         18.086
Time:                      21:41:14    Pearson chi2:        30.0
No. Iterations:            6      Covariance Type:      nonrobust
=====
              coef      std err          z      P>|z|      [0.025      0.975]
-----
Intercept      5.0850      3.052      1.666      0.096      -0.898      11.068
Temperature    -0.1156      0.047     -2.458      0.014      -0.208      -0.023
=====

```

Good, now I have recovered the asymptotic standard errors  $s_{\hat{\alpha}} = \mathbf{3.052}$  and  $s_{\hat{\beta}} = \mathbf{0.047}$ . The Goodness of fit (Deviance) indicated for this model is  $G^2 = \mathbf{18.086}$  with **21** degrees of freedom (Df Residuals).

**I have therefore managed to fully replicate the results of the Dalal *et al.* article.**

## 1.4 Predicting failure probability

The temperature when launching the shuttle was 31°F. Let's try to estimate the failure probability for such temperature using our model:

```

data_pred = pd.DataFrame({'Temperature': np.linspace(start=30, stop=90, num=121),
                          'Intercept': 1})
data_pred['Frequency'] = logmodel.predict(data_pred)
print(data_pred.head())

```

```

Temperature  Intercept  Frequency
0           30.0        1         1.0
1           30.5        1         1.0
2           31.0        1         1.0
3           31.5        1         1.0
4           32.0        1         1.0

```


```
%matplotlib inline
```

```
data_pred.plot(x="Temperature",y="Frequency",kind="line",ylim=[0,1])
```



```
plt.scatter(x=data["Temperature"],y=data["Frequency"])
plt.grid(True)

plt.savefig(matplot_lib_filename)
matplot_lib_filename
```



La fonction `logmodel.predict(data_pred)` ne fonctionne pas avec les dernières versions de pandas (Frequency = 1 pour toutes les températures).

On peut alors utiliser le code suivant pour calculer les prédictions et tracer la courbe :

```
# Inspiring from http://blog.yhat.com/posts/logistic-regression-and-python.html
def logit_inv(x):
    return(np.exp(x)/(np.exp(x)+1))


data_pred['Prob']=logit_inv(data_pred['Temperature'] * logmodel.params['Temperature'] +
                             logmodel.params['Intercept'])
print(data_pred.head())
```

Temperature	Intercept	Frequency	Prob
0	30.0	1	1.0 0.834373

1	30.5	1	1.0	0.826230
2	31.0	1	1.0	0.817774
3	31.5	1	1.0	0.809002
4	32.0	1	1.0	0.799911

```
%matplotlib inline
data_pred.plot(x="Temperature",y="Prob",kind="line",ylim=[0,1])
plt.scatter(x=data["Temperature"],y=data["Frequency"])
plt.grid(True)

plt.savefig(matplot_lib_filename)
matplot_lib_filename
```



This figure is very similar to the Figure 4 of Dalal *et al.* **I have managed to replicate the Figure 4 of the Dalal *et al.* article.**


### 1.5 Computing and plotting uncertainty

Following the documentation of [Seaborn](<https://seaborn.pydata.org/generated/seaborn.regplot.html>), I use regplot.

```
sns.set(color_codes=True)
```

```
plt.xlim(30,90)
plt.ylim(0,1)
sns.regplot(x='Temperature', y='Frequency', data=data, logistic=True)
plt.show()

plt.savefig(matplot_lib_filename)
matplot_lib_filename
```



**I think I have managed to correctly compute and plot the uncertainty of my prediction.** Although the shaded area seems very similar to [the one obtained by with R](<https://app-learninglab.inria.fr/gitlab/moocrr-session1/moocrr-reproducibility-study/raw/5c9dbef11b4d7638b7ddf2ea71026e/challenger.pdf>), I can spot a few differences (e.g., the blue point for temperature 63 is outside)... Could this be a numerical error ? Or a difference in the statistical method ? It is not clear which one is "right".